

CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.....: 22EP10079E01

Report No.....: EP2210079E01

Date Issue.: 2022-10-21

Applicant's name: Ninghai Yingjiao Electrical Co., Ltd.

Address: Cuijia Village, Xidian Town, Ninghai County, Ningbo, 315613 Zhejiang, P.R.

China.

Manufacturer's name: Ninghai Yingjiao Electrical Co., Ltd.

Address: Cuijia Village, Xidian Town, Ninghai County, Ningbo, 315613 Zhejiang, P.R.

China.

Product Description.....: Din Rail power supply

Model(s)/Type References: YSD15S-vvvaaaaa ("vvv", "aaaa" are variables, see appendix for

details)

Parameters...... Input: 100-240V~, 50/60Hz, 0.6A Max

Output: see appendix for details

Standard(s): EN 55032:2015+A11:2020+A1:2020

EN 55035:2017+A11:2020

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu

Director of engineering department



CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

Appendix of Certificate No.: 22EP10079E01

Table A:Definition of variable

Variable	Range of variable	Content		
VVV	050-480	3 digits, indicates 10 times of output voltage in V and in step of 0.1V.		
		eg.050=5.0V, 480=48.0V.		
aaaa 0010-2500		4 digits, indicates 100 times of output current in A and in step of		
		0.001A. eg. 0010=0.01A, 2500=2.5A.		

Table B : Model list:

YSD15S-vvvaaaa (VDC) (A) (W) 100-240V~, 50/60Hz, 0.6A 5.0-48.0 0.01-2.5	Model NO.	Input rating	Voltage range	Current range	Max. Powe
YSD15S-vvvaaaa 50/60Hz, 0.6A 5.0-48.0 0.01-2.5	woder NO.		(VDC)	(A)	(W)
THOSE CONTRACTOR OF THE PROPERTY OF THE PROPER	YSD15S-vvvaaaa		5.0-48.0	0.01-2.5	o Testing Tech

ERTIFICA